

Write "PASS" If OK	Pre-Delivery Check List ZODIAC CH 601 XL (European ULM)
Write snag list # if not passed	Sales Manager Signature _____ Date: _____ Once all items area "PASSED" sign the IPL for approving delivery
	1. Aircraft Records
	Aircraft Journey Log Book with DAR sign-off
	Altimeter/ Encoder/Transponder System check in Logbook
	Pitot / Static System Current Entry in Logbook
	Propeller Log Book
	Engine Log Book
	Equipment List Signed and dated with all installed equipment, including all avionics
	Copy of compass swing cards – dated and initialed
	Weight & Balance signed / dated <i>with installed avionics</i>
	Airworthiness Certificate
	Registration
	POH with airspeed calibration completed
	Service Manual
	Pilot operating supplement
	2. Aircraft Interior
	Instrument panel area
	Avionics panel area
	Trim indicator area
	All switches - straight/lined up
	Gauges - straight
	Gauges - clean
	Bottom of instrument panel seal
	Instrument panel overlay material
	Cleanliness
	Top of instrument panel fabric - well cut
	Instrument panel grab handle well painted
	Instrument panel top seal well installed
	Compass is straight / centered and compass card is dated / initialed
	Instrument Panel placards to match POH
	Placards are all level / straight
	Sticks are painted black and look nice - no scratches
	Stick grips do not move
	Correct time on clock

	Seat area
	Seat back - upholstery
	Seat bottom upholstery
	Side Vents - close/open - finish
	Cabin upholstery between seats
	Panels left and right side of cabin - well installed
	Fuel selector / placards well installed
	Fuel selector / easy to rotate valve handle
	Cleanliness
	Baggage Area
	Left side rear baggage area
	Right side rear baggage area
	Max. allowable weight baggage placard correctly installed
	Baggage area is well painted
	Carpet Installed / trimmed neat
	Cleanliness
	Floor area
	Firewall area clean
	Rudder pedal area clean
	Floor panels / no-skid-tape installed nicely
	Cleanliness
	General cabin area
	Shoulder harnesses seat belts properly installed / not twisted
	Canopy is clean and not scratched
	No over spray on Canopy
	Serviceable Fire Extinguisher installed (option)
	Cleanliness
	Canopy
	Closes well and easily
	Canopy can be locked with key
	Rear-front rubber seal is well installed / well glued
	Air vent can be closed and opened easily
	Canopy cleaned and not scratched
	Canopy arms well painted

3. Aircraft exterior	
	Fuselage area
	Rear fuselage top is nicely painted
	Rear fuselage bottom is nicely painted
	No over spray on antennas - ELT / COM1 / COM2 / VOR / Transponder / M. Beacon
	GPS antenna area is nice and rain proof
	Rear fuselage right side is nicely painted / strips nice / Reg. # Nice
	Rear fuselage left side is nicely painted / strips nice / Reg. # Nice
	Outside canopy area is well painted
	Stabilator is nicely painted / strips nice
	Rudder is nicely painted
	Control cables at rudder are not painted
	Rudder tail light is nicely finished / no over spray / works (option)
	Spinner is well painted
	Cowling area is well painted
	Bottom cowling has nice cut-up for nose wheel and Muffler
	Engine Cowling for Proper Fit And Contour / Fasteners / Secure
	Engine cowling is nicely finished around edges / sides and front / rear
	Engine cowling is "rubbing" marks from propeller or spinner
	Inside engine area is clean
	Gas collator area is nice - no drips / easy to use
	Oil door is easy to open / closes well / label is nicely installed
	Oil Dip Stick Clear Oil Door
	Landing Gear
	Main gear fairings are nicely painted
	Wheels have no over spray
	Main wheel tires have proper air pressure / caps installed
	Brake lines in proper area / and well fastened
	Nose wheel is nicely painted / greased
	Nose wheel fairing is nicely painted
	Nose wheel tire has proper air pressure / cap installed
	Nose wheel / area has no over spray

	Right wing
	Condition of paint - top of wing
	Condition of paint - bottom of wing
	Condition of paint - aileron
	Condition of paint - flap
	Striping / decals
	Tip light / strobe light (option)
	Stall switch (option)
	Wing root seal properly glued
	Wing root seal cut to length
	Walkway no-skid-tape installed nicely
	Wing placards well installed / straight
	Fuel cap easy to remove / install
	Drain valve not dripping / working
	Fuel type placard installed beside fuel cap
	Stall warning switch riveted, looks nice (option)
	Baggage wing locker area clean, closes well (option)
	Key works on fuel cap
	Left wing
	Condition of paint - top of wing
	Condition of paint - bottom of wing
	Condition of paint - aileron
	Condition of paint - flap
	Striping / decals
	Tip light / strobe light (option)
	Landing / taxi light area - clean / well installed / clear cover nice (option)
	Wing root seal properly glued
	Wing root seal cut to length
	Walkway no-skid-tape installed nicely
	Wing placards well installed / straight
	Fuel cap easy to remove / install
	Drain valve not dripping / working
	Fuel type placard installed beside fuel cap
	Baggage wing locker area clean, closes well (option)
	Key works on fuel cap